



***Universal Keyboard Wedge
Connectivity Guide***



R44-2039 (Rev. C)

PSC Inc

959 Terry Street

Eugene, Oregon 97402

Telephone: (541) 683-5700

Fax: (541) 345-7140

Copyright ©2002 PSC Inc. An Unpublished Work - All rights reserved. No part of the contents of this documentation or the procedures described therein may be reproduced or transmitted in any form or by any means without prior written permission of PSC Inc. or its wholly owned subsidiaries ("PSC"). Owners of PSC products are hereby granted a non-exclusive, revocable license to reproduce and transmit this documentation for the purchaser's own internal business purposes. Purchaser shall not remove or alter any proprietary notices, including copyright notices, contained in this documentation and shall ensure that all notices appear on any reproductions of the documentation.

Should future revisions of this manual be published, you can acquire printed versions by contacting PSC Customer Administration. Electronic versions will either be downloadable from the PSC web site (www.pscnet.com) or provided on appropriate media. If you visit our web site and would like to make comments or suggestions about this or other PSC publications, please let us know via the "Contact PSC" page.

Disclaimer

Reasonable measures have been taken to ensure that the information included in this manual is complete and accurate. However, PSC reserves the right to change any specification at any time without prior notice.

PSC is a registered trademark of PSC Inc. The PSC logo is a trademark of PSC. All other trademarks and trade names referred to herein are property of their respective owners.

This product may be covered by one or more of the following patents: 4603262 • 4639606 • 4652750 • 4672215 • 4699447 • 4709195 • 4709369 • 4749879 • 4792666 • 4794240 • 4798943 • 4799164 • 4820911 • 4845349 • 4861972 • 4861973 • 4866257 • 4868836 • 4879456 • 4939355 • 4939356 • 4943127 • 4963719 • 4971176 • 4971177 • 4991692 • 5001406 • 5015831 • 5019697 • 5019698 • 5086879 • 5115120 • 5144118 • 5146463 • 5179270 • 5198649 • 5200597 • 5202784 • 5208449 • 5210397 • 5212371 • 5212372 • 5214270 • 5229590 • 5231293 • 5232185 • 5233169 • 5235168 • 5237161 • 5237162 • 5239165 • 5247161 • 5256864 • 5258604 • 5258699 • 5260554 • 5274219 • 5296689 • 5298728 • 5311000 • 5327451 • 5329103 • 5330370 • 5347113 • 5347121 • 5371361 • 5382783 • 5386105 • 5389917 • 5410108 • 5420410 • 5422472 • 5426507 • 5438187 • 5440110 • 5440111 • 5446271 • 5446749 • 5448050 • 5463211 • 5475206 • 5475207 • 5479011 • 5481098 • 5491328 • 5493108 • 5504350 • 5508505 • 5512740 • 5541397 • 5552593 • 5557095 • 5563402 • 5565668 • 5576531 • 5581707 • 5594231 • 5594441 • 5598070 • 5602376 • 5608201 • 5608399 • 5612529 • 5629510 • 5635699 • 5641958 • 5646391 • 5661435 • 5664231 • 5666045 • 5671374 • 5675138 • 5682028 • 5686716 • 5696370 • 5703347 • 5705802 • 5714750 • 5717194 • 5723852 • 5750976 • 5767502 • 5770847 • 5786581 • 5786585 • 5787103 • 5789732 • 5796222 • 5804809 • 5814803 • 5814804 • 5821721 • 5822343 • 5825009 • 5834708 • 5834750 • 5837983 • 5837988 • 5852286 • 5864129 • 5869827 • 5874722 • 5883370 • 5905249 • 5907147 • 5923023 • 5925868 • 5929421 • 5945670 • 5959284 • 5962838 • 5979769 • 6000619 • 6006991 • 6012639 • 6016135 • 6024284 • 6041374 • 6042012 • 6045044 • 6047889 • 6047894 • 6056198 • 6065676 • 6069696 • 6073849 • 6073851 • 6094288 • 6112993 • 6129279 • 6129282 • 6134039 • 6142376 • 6152368 • 6152372 • 6155488 • 6166375 • 6169614 • 6173894 • 6176429 • 6188500 • 6189784 • 6213397 • 6223986 • 6230975 • 6230976 • 6237852 • 6244510 • 6259545 • 6260763 • 6266175 • 6273336 • 6276605 • 6279829 • 6290134 • 6290135 • 6293467 • 6303927 • 6311895 • 6318634 • 6328216 • 6332576 • 6332577 • 6343741 • AU703547 • D312631 • D313590 • D320011 • D320012 • D323492 • D330707 • D330708 • D349109 • D350127 • D350735 • D351149 • D351150 • D352936 • D352937 • D352938 • D352939 • D358588 • D361565 • D372234 • D374630 • D374869 • D375493 • D376357 • D377345 • D377346 • D377347 • D377348 • D388075 • D446524 • EP0256296 • EP0260155 • EP0260156 • EP0295936 • EP0325469 • EP0349770 • EP0368254 • EP0442215 • EP0498366 • EP0531645 • EP0663643 • EP0698251 • GB2252333 • GB2284086 • GB2301691 • GB2304954 • GB2307093 • GB2308267 • GB2308678 • GB2319103 • GB2333163 • GB2343079 • GB2344486 • GB2345568 • GB2354340 • ISR107546 • ISR118507 • ISR118508 • JP1962823 • JP1971216 • JP2513442 • JP2732459 • JP2829331 • JP2953593 • JP2964278 • MEX185552 • MEX187245 • RE37166 • Other Patents Pending

1.0 SCOPE :

This guide is intended for use with PSC products supporting the Universal Wedge interface. The information in this guide includes :



- PC or Terminal Model : (PC or Terminal model and Manufacturer).
 Keyboard Type ID: (This number entered into the wedge configuration for the proper PC / Terminal emulation by country),
 PSC terminal cable part number : (PSC part number for ordering, call your PSC Sale Representative for availability of cables)
 Single Cable Option : (Designates if a single cable connection is available, see table 1b),
 Product minimum wedge software version : (The minimum WEDGE firmware version required to support the listed PCs and Terminals by product. No firmware listing designates no support)

2.0 CABLING :

Cables for connecting your PSC scanner to the listed PC / Terminal can be accomplished in one of two ways:

Scanner base cable and terminal cable. (base cable will connect to the various terminal cables listed on pages 2-10.)

PSC single cable option.



Product(s)	Scanner Base Cable for use with cables listed on pages 4-15.		PSC single cable options (except where noted)	
	Part Number	Description	Part Number	Description
VS1000 w/ STI Interface VS1200 w/ STI Interface HS1250 w/ STI Interface SP400RF w/ STI Interface	8-0203-01	12' base cable, 25 pin "D" connector.	None	
SP400 WorldWideWedge	8-0177-01	12' base cable, 25 pin "D" connector base cable, Power off external AC adapter option.	8-0119-01	8', 9 pin "D" connector, Socket, Power off the terminal, Indirect-connect for IBM (or compatible) computer type PC/AT through "Y" cable 8-0120-01 or 8-0120-02. (This option is a two cable solution.)
QS6000+ Universal Wedge	8-0424-15	15' base cablew/ext. AC power option.	8-0424-08	IBM PC AT/PSC, POT, KBW, 11'
DUET Universal Wedge VS800 Universal Wedge	8-0466-11	12' base cable, 25 pin "D" connector, Socket, Power off external AC power adapter ONLY.	8-0466-04	8', 5 pin "Din" connector, Plug (Computer end), 6 pin "Mini Din" connector, Socket (Keyboard end), Power off external brick, Direct-connect for Universal PC application using Adapter cable # 2103-0035 (5 pin to 6 Mini pin). (For XT/AT applications only)
PowerScan UW QS1000 UW	8-0424-16	12' base cable, 25 pin 'D' connector, socket w/ power off external AC power adapter option.	8-0424-08	IBM PC AT/PS2, POT, KBW, 11'. (For XT/AT applications only)

Table 1a.

Table 1b.

PC OR TERMINAL MODEL	KEYBOARD TYPE													Terminal Cable p/n. <i>Use with basecables listed in Table 1a.</i>	Single Cable Option <i>See Table 1b.</i>	VS1000 VS1200 HS1250 SP400RF	SP400WWW	QS600+	PowerScan Duet VS800 QS1000
	F (1)	F (2)	USA	D	B	UK	ALT	I	CH	S	E	H	INTL						
ACER 1120 SX 1120/1133, 530 Am 386 SXLV	1 1	654 654	11 11	104 104	644 644	611 611	114 114	123 123	148 148	169 169	313 313	437 437		CWIPSPS CWIXTAT	y y	D71.05 D71.05	D71.05 D71.05	QS6.00 QS6.00	D00.07 D00.07
ADDX / NORMEREL S TURBO 2 OP AT AT MAX, NS 58	0 1 1	 654 654	10 11 11	361 104 104	 644 644	 611 611	 114 114	 123 123	 148 148	168 169 169	313 313	437 437		CWIXTAT CWIXTAT CWIPSPS	y y y	D71.05 D71.05 D71.05	D71.05 D71.05 D71.05	QS6.00 QS6.00 QS6.00	D00.07 D00.07 D00.07
ADI 1496/1497, ST347C	84		95	315				371				372		CWIXTAT	y	D71.05	D71.05	QS6.00	D00.07
ALCATEL / IDEA / ITT 177-P/196/197-PT/197-1 276+/276P+/277P+/277V+/277+/471+/472+/572V/572V+/572+/574/12276- 03/12277-03/12277-3P/12277-03V/12471-03/ 12472-03/ 12486- 02/12487/12488-02/12572-03/12572-03V/ 12587-02/12588-02/12788-02 9271 G/IW/W, 9272 G/IW/W 9291 D/E/BW, 9292 DA/DE/C2/F 9291 -2DG 122 Keys 9292 C+/C1 SEL 818X ITT XTRA	71 227 2 55 422 2 227*	 424 12 228*	72 228 12 209 256 425 209 250*	250 250				368 230 122 230*		251 210 210 251*	369 370 363 363 370*	437 437 423 75 229*		CW1177P CW1177P CW1177P CWIXTAT CWIXTAT CWIXTAT CW1177P CWIXTAT	 y y y y	D71.05 D71.05 D71.05 D71.05 D71.05 D71.05 D71.05	D71.05 D71.05 D71.05 D71.05 D71.05 D71.05	QS6.00 QS6.00 QS6.00 QS6.00 QS6.00 *QS6.00 QS6.00	D00.07 D00.07 D00.07 D00.07 D00.07 D00.07 D00.07
APPLE MAC CLASSIC, MAC LC III/LC 465/LC 475, MAC PERFORMA 450/630/5300/5320, MAC QUADRA 800/840 AV/900/950, MAC SE / SE- 30 / CX FX, MAC I/IGS/IIci/IIcx/IIvx/IIx, POWER MAC 6200-75 / 6200- 75 / 7160 / 7600-132 / 7200 / 7500 / 9500 MAC+, MAC 128, MAC 512, MAC 512 KE	24 22		25 23	115					93	171	577			CWAMCSE CWAM128	 	D71.05 D71.05	D71.05 D71.05	QS6.00 QS6.00	D00.07 D00.07
APRICOT XEN I 386	1	654	11	104	644	611	114	123	148	169	313	437		CWIXTAT	y	D71.05	D71.05	QS6.00	D00.07
AST 386 SX/20 BRAVO 4/33 S, 4/66 D	1	654	11	104	644 644	611 611	114 114	123 123	148 148	169 169	313 313	437 437		CWIXTAT CWIXTAT	y y	D71.05 D71.05	D71.05 D71.05	QS6.00 QS6.00	D00.07 D00.07
AXEL IRIS PLATINE	1	654	11	104	644	611	114	123	148	169	313	437		CWIPSPS	y	D71.05	D71.05	QS6.00	D00.07
BULL MICRAL 30/60 MICRAL 35/40/45/50/65/75/600 MICRAL 200/400 QUESTAR 303/306 Style IBM Enhanced PC QUESTAR 303/306 ANSI Keyboard Keys QUESTAR 303/306 ANSI Keyboard 105 Keys QUESTAR 303/306 ANSI W285 Keyboard 105 Keys QUESTAR 303/306 ASCII keyboard QUESTAR 303/306 IBM-PCAT Keyboard 84 Keys QUESTAR 310 TWS 3107	18 1 1 244 270 380 274 275 81 81	654 654	11 11	104 104 246 317 272 382 393	644 644	611 611	114 114	123 123	148 148	169 169	313 313	437 437		CWIXTAT CWIXTAT CWIPSPS CWWY371-PF CWWY371-PF CWWY371-PF CWWY371-PF CWWY371-PF CWWY371-PF CWBQ310 CWBQ310	y y y y y	D71.05 D71.05 D71.05 D71.05 D71.05 D71.05 D71.05 D71.05 D71.05 D71.05 D71.05	D71.05 D71.05 D71.05 D71.05 D71.05 D71.05 D71.05 D71.05 D71.05	QS6.00 QS6.00 QS6.00 QS6.00 QS6.00 QS6.00 QS6.00 QS6.00 QS6.00 QS6.00 QS6.00	D00.07 D00.07 D00.07 D00.07 D00.07
HDS1 HONEYWELL VTU0041	0 149		10 152	361 153						168				CWIXTAT CWIXTAT	y y	D71.05 D71.05	D71.05 D71.05	QS6.00 QS6.00	D00.07 D00.07
CANON PC A200	0		10	361						168				CWIXTAT	y	D71.05	D71.05	QS6.00	D00.07
CARRY 1	1	654	11	104	644	611	114	123	148	169	313	437		CWIXTAT	y	D71.05	D71.05	QS6.00	D00.07
CITOH CIT 224+	699													CWP2701		D82.03		QS6.00	
COMMODORE PC 386-25 1935 386-25	0 1 1	654	10 11	361 104	644 644	611 611	114 114	123 123	148 148	169 169	313 313	437 437		CWIXTAT CWIXTAT CWIPSPS	y y y	D71.05 D71.05 D71.05	D71.05 D71.05 D71.05	QS6.00 QS6.00 QS6.00	D00.07 D00.07 D00.07
COMPAQ 36XT, DESKPRO	0		10	361						168				CWIXTAT	y	D71.05	D71.05	QS6.00	D00.07

PC OR TERMINAL MODEL	KEYBOARD TYPE													Terminal Cable p/n. <i>Use with basecables listed in Table 1a.</i>	Single Cable Option <i>See Table 1b.</i>	VS1000 VS1200 HS1250 SP400RF	SP400WWW	QS600+	PowerScan Duet VS800 QS1000	
	F (1)	F (2)	USA	D	B	UK	ALT	I	CH	S	E	H	INTL							
SLT 286, 286 E/386S, DESKPRO 386 S / XL 450, PROLINEA 3/25 ZS / 386-25 S 286/386	1	654	11	104	644	611	114	123	148	169	313	437		CWIPSPS	y	D71.05	D71.05	QS6.00	D00.07	
COMPUTER LAB INTERNATIONAL 5488, 7476 D	1	654	11	104	644	611	114	123	148	169	313	437		CWIXTAT	y	D71.05	D71.05	QS6.00	D00.07	
COUGAR PC/AT/AT3	339		340	341				302						CWIXTAT	y	D71.05	D71.05	QS6.00	D00.07	
DATA GENERAL D1400i 5520 D414 Keyboard PC 102 keys	1	654	11	104	611	114	123	148	169	313	437			CWIXTAT CWIXTAT CWIXTAT	y y y	D71.05 D71.05 D71.05	D71.05 D71.05 D71.05	QS6.00 QS6.00 QS6.00	D00.07 D00.07 D00.07	
DATAPOINT PC VCS 7322/7333/7373 8242-705	645 1 554	654	646 11	104	644	611	114	123	148	169	313	437		CWIPSPS CWIXTAT 6015-0423	y y y	D71.05 D71.05 D71.05	D71.05 D71.05 D71.05	QS6.00 QS6.00 QS6.00	D00.07 D00.07 D00.14	
DDK SPS-200N Pentium	590		591	592			623	593	594	595	596	597		IPEAT		D71.05	D71.05	QS6.00	D00.07	
DECISION SYSTEMS INTL 386-387 3497 3781 3781/3782/3783-14/3783-15/3783-17/3786-21/3787-14/3787-15/3788-17/3788C 3876/3877 3987	2 82 2 647 2 2		12 172 12 649	209 117 209 650	196 648			122 366 122 651		210 210	363 367 363 652		75 75	CWIXTAT CWDDA96 CWDDA96 CWI177P CW13480 CWIPSPS	y y y y y	D71.05 D71.05 D71.05 D71.05 D71.05 D82.03	D71.05 D71.05 D71.05 D71.05 D71.05	QS6.00 QS6.00 QS6.00 QS6.00 QS6.00 QS6.00	D00.07 D00.07 D00.07 D00.07 D00.07 D00.07	
DELL 210/316 SX/433 L/486 P-33 320N+	1 1	654 654	11 11	104 104	644 644	611 611	114 114	123 123	148 148	169 169	313 313	437 437		CWIPSPS CWIXTAT	y y	D71.05 D71.05	D71.05 D71.05	QS6.00 QS6.00	D00.07 D00.07	
DIGITAL DORIO VGB10 IBM PC Style Keyboard DORIO VGB10 ANSI Style Keyboard PC LPV+ 466 D2 VAX Station 3100 VT 220/320/330/340/350/382 VT 420 VT 42A, VXT 2000 VT 510 IBM PC Style Keyboard VT 510 IBM ANSI Style Keyboard VT 520 Models (see page 10)	476 537 82 429 17 85 182 541 252		477 538 172 430 43 90 181 542 253	478 539 117 431 222	196			366	479 540		367	316 694 695		CWIPSPS CWIPSPS CWIPSPS CWD2420 CWD2420 CWD2420 CWD2420 CWIPSPS CWIPSPS	y y y y y y y y	D71.05 D71.05 D71.05 D71.05 D71.05 D71.05 D71.05 D71.05 D71.05	D71.05 D71.05 D71.05 D71.05 D71.05 D71.05 D71.05	QS6.00 QS6.00 QS6.00 QS6.00 QS6.00 QS6.00 QS6.00 QS6.00 QS6.00	D00.07 D00.07 D00.07 D00.07 D00.07 D00.07 D00.07 D00.07 D00.07	
DONATEC PC	0		10	361						168				CWIXTAT	y	D71.05	D71.05	QS6.00	D00.07	
EAGLE PC	0		10	361						168				CWIXTAT	y	D71.05	D71.05	QS6.00	D00.07	
ELONEX 325 X	1	654	11	104	644	611	114	123	148	169	313	437		CWIPSPS	y	D71.05	D71.05	QS6.00	D00.07	
EPSON EQUITY 320 SX+ PC AX2 PC E PS E/30	1 1 0 20	654 654	11 11 10 21	104 104 361 248	644 644 259	611 611	114 114	123 123	148 148	169 169 168 387	313 313	437 437 438		CWIPSPS CWIXTAT CWIXTAT CWIPSPS	y y y y	D71.05 D71.05 D71.05 D71.05	D71.05 D71.05 D71.05 D71.05	QS6.00 QS6.00 QS6.00 QS6.00	D00.07 D00.07 D00.07 D00.07	
ERGO SYSTEM ERGO SYSTEM	1	654	11	104	644	611	114	123	148	169	313	437		CWIXTAT	y	D71.05	D71.05	QS6.00	D00.07	
ERICSSON PC 3715	0 218		10 219	361 220						168				CWIXTAT	y	D71.05 D71.05	D71.05 D71.05	QS6.00 QS6.00	D00.07	
FACIT A990	641		642	643										CWIPSPS	y	D71.05	D71.05	QS6.00	D00.07	
FALCO 500 ^F 5220 ^F 5420 108 ANSI Keys INFINITY 108 ANSI Keys and VT100 Keyboard 106 Keys	60 583 155		16 584 156	585 157										CWIXTAT CWIXTAT CWFNFI-PF	y y y	D71.05 D71.05 D71.05	D71.05 D71.05 D71.05	QS6.00 QS6.00 QS6.00	D00.07 D00.07 D00.07	
FORCE F 476/477 M, TM 1471 W	56		57	96	258			362					221	CWI3480		D71.05	D71.05	QS6.00	D00.07	

PC OR TERMINAL MODEL	KEYBOARD TYPE													Terminal Cable p/n. <i>Use with basecables listed in Table 1a.</i>	Single Cable Option <i>See Table 1b.</i>	VS1000 VS1200 HS1250 SP400RF	SP400WWW	QS600+	PowerScan Duet VS800 QS1000		
	F (1)	F (2)	USA	D	B	UK	ALT	I	CH	S	E	H	INTL								Minimum PSC Released Wedge Software Version
FORUM AT 286	1	654	11	104	644	611	114	123	148	169	313	437		CWIXTAT	y	D71.05	D71.05	QS6.00	D00.07		
GOLDSTAR GS 317	1	654	11	104	644	611	114	123	148	169	313	437		CWIPSPS	y	D71.05	D71.05	QS6.00	D00.07		
GOUPIL G 5-386/G 40 G 6, GOLF	1 1	654 654	11 11	104 104	644 644	611 611	114 114	123 123	148 148	169 169	313 313	437 437		CWIXTAT CWIPSPS	y y	D71.05 D71.05	D71.05 D71.05	QS6.00 QS6.00	D00.07 D00.07		
HARRIS ADACOM (SEE MDS)																					
HERMES PC 110 PC 220	6* 1		28* 11											CWOM290 CWIPSPS	 y	D71.05 D71.05	D71.05 D71.05	*QS6.00 QS6.00			
HEWLETT PACKARD / TEXAS INSTRUMENT 700 / 44 700 / 60, 700 / 70, 928 with keyboard P/N C3344-60205 700/60, 700/70 VT420 Keyboard 700 / 92, 700 / 94, 700 / 96, 700/98 APOLLO 9000 MODEL 735, 715/33 IBM PC Keyboard, VECTRA 286/12, 486 VU, 486 VL, 486/33, VECTRA VL 5/100 SERIE 3, VL 5/90, 5/100 SERIE 4, APOLLO 9000 MODEL Keyboard VECTRA ES/12, QS/16 VECTRA 386/25 VECTRA VE 4/50	373* 426* 375* 1		374* 427* 376* 11	390* 428* 377* 104	462* 427* 462* 644				706* 606* 706* 148	634* 634* 379* 169			437	CWH7000-PF CWH7000-PF CWH7000-PF CWIPSPS	 y	D82.03 D71.05 D71.05 D71.05	D71.05 D71.05 D71.05 D71.05	*QS6.00 *QS6.00 *QS6.00 QS6.00		D00.07	
	74 1 590	654	124 11 591	104 104 592	644 644 644	611 611 611	114 114 114	123 123 623	148 148 594	169 169 595	313 313 596	437 437 597		CWIXTAT CWIXTAT CWIPSPS	y y y	D71.05 D71.05 D71.05	D71.05 D71.05 D71.05	QS6.00 QS6.00 QS6.00	D00.07 D00.07 D00.07		
HOB M48X, 88 ^E	463		464	465										CWHOB48-PF		D71.05	D71.05	QS6.00			
IBM PC & PCXT PC AT/AT3 PC AT/AT3 High Speed PC AT/AT3 Using PS/2 connector without Keyboard PC AT/AT3 Using DIN connector without Keyboard 3151-31 3151/3152-010, 347X/348X 3152-020 3153 316X, 3179/3180/319X/3270 PC 330, PS 1, PS 2 /30-H21/30-H31/30-H41/40/50/55/60/80, PSVP 6382/6384, INDUSTRIAL COMPUTER PS 2 /30/56 SLC/57 SX/70/77/85/90/95/121/8555 Station Staff	0 1 590 486 486 545 56 56 568 2 1	654	10 11 591 487 487 546 57 57 569 12 11	361 104 592 488 488 547 96 96 570 209 104	644 708 708 644 644 644 644 644 644 644 644	611 611 611 611 611 611 611 611 611 611 611	114 114 114 114 114 114 114 114 114 114 114	123 123 623 593 594 595 596 597 597 597 597 597	148 148 594 595 596 596 596 596 596 596 596	168 169 169 169 169 169 169 169 169 169 169	313 313 313 313 313 313 313 313 313 313 313	437 437 437 437 437 437 437 437 437 437 437	548 221 221 75	CWIXTAT CWIXTAT CWIXTAT CNIT350 CNINOXT CWI3476 CWI3476 CWIPSPS CWI3153 CWI3480 CWIPSPS	y y y y y y y y y y	D71.05 D71.05 D71.05 D71.05 D71.05 D71.05 D71.05 D71.05 D71.05 D71.05 D71.05	D71.05 D71.05 D71.05 D71.05 D71.05 D71.05 D71.05 D71.05 D71.05 D71.05 D71.05	QS6.00 QS6.00 QS6.00 QS6.00 QS6.00 QS6.00 QS6.00 QS6.00 QS6.00 QS6.00 QS6.00	D00.07 D00.07 D00.07 D00.07 D00.07 D00.07 D00.07 D00.07 D00.07 D00.07 D00.07		
ICL A320B P415 GE/P420 GE, DRS M10/M15/M40/M45/M55/M75/M95/ M3000/M3100 P420E P482 471 W, 472 C/2, 472 W DRS M5 Style IBM Enhanced PC DRS M30 DRS M80	2 1 2 56 82 303* 213 1	654	12 11 12 57 172 304* 214 11	209 104 209 96 117 306* 215 104	644 644 644 644 644 644 644 644	611 611 611 611 611 611 611 611	114 114 114 114 114 114 114 114	122 123 122 362 366 366 123 148	148 148 148 148 148 148 148 148	169 169 210 363 331 367 169	363 313 210 363 331 367 313	437 437 437 437 437 437 437 437	75 75 221	CWIXTAT CWIPSPS CWIPSPS CWIPSPS CWIXTAT CWIPSPS CWIXTAT	y y y y y y y	D71.05 D82.03 D71.05 D71.05 D71.05 D71.05 D71.05 D71.05	D71.05 D71.05 D71.05 D71.05 D71.05 D71.05 D71.05 D71.05	QS6.00 QS6.00 QS6.00 QS6.00 QS6.00 *QS6.00 QS6.00 QS6.00	D00.07 D00.07 D00.07 D00.07 D00.07 D00.07 D00.07 D00.07		
IDEA (SEE ALCATEL)																					
INTERTECHNIQUE (SEE SIEMENS)																					
IPC 386 DX 33C, 5349	1	654	11	104	644	611	114	123	148	169	313	437		CWIXTAT	y	D71.05	D71.05	QS6.00	D00.07		
ITT (SEE ALCATEL)																					
KENITEC 486 SX-25	1	654	11	104	644	611	114	123	148	169	313	437		CWIPSPS	y	D71.05	D71.05	QS6.00	D00.07		
KIENZLE (SEE MANNESMANN)																					
KIMTRON KT-70 PC/XT	0		10	361										CWIXTAT	y	D71.05	D71.05	QS6.00	D00.07		
KONTRON ICU/IR, KAT 286, KPR8/KPR10/KPR20 INLITE 386 SL 25, IPLITE Color 486 DX 33 LP, MARLIN KOI Color 386 SL 25 (normal input available)	1 1 1	654 654 654	11 11 11	104 104 104	644 644 644	611 611 611	114 114 114	123 123 123	148 148 148	169 169 169	313 313 313	437 437 437		CWIXTAT CWIPSPS CWIPSPS	y y y	D71.05 D71.05 D71.05	D71.05 D71.05 D71.05	QS6.00 QS6.00 QS6.00	D00.07 D00.07 D00.07		

PC OR TERMINAL MODEL	KEYBOARD TYPE													Terminal Cable p/n. <i>Use with basecables listed in Table 1a.</i>	Single Cable Option <i>See Table 1b.</i>	VS1000 VS1200 HS1250 SP400RF	SP400WWW	QS600+	PowerScan Duet VS800 QS1000	
	F (1)	F (2)	USA	D	B	UK	ALT	I	CH	S	E	H	INTL							
KOI Color 386 SL 25 (Alt keyboard input available)	1	654	11	104	644	611	114	123	148	169	313	437		CWIXTAT	y	D71.05	D71.05	QS6.00	D00.07	
LEANORD CHALLENGER 2, TOWER 386 SX/16	1	654	11	104	644	611	114	123	148	169	313	437		CWIXTAT	y	D71.05	D71.05	QS6.00	D00.07	
LINK / VISA MC2/MC3+/MC4/MC5/MC5+/MC6/ MC80/MC420 Style IBM Enhanced PC	266		267	269		268								CWWY371-PF		D71.05	D71.05	QS6.00		
MC2/MC3+/MC4/MC5/MC5+/MC6/ MC80/MC420 ANSI Keyboard 105 Keys	270		271							272				CWWY371-PF		D71.05	D71.05	QS6.00		
MC2/MC3+/MC4/MC5/MC5+/MC6/ MC80/MC420 ASCII Keyboard	273		274											CWWY371-PF		D71.05	D71.05	QS6.00		
MC2/MC3+/MC4/MC5/MC5+/MC6/ MC80/MC420 IBM-PCAT w/84 keybd	275													CWWY371-PF		D71.05	D71.05	QS6.00		
MC70 Style IBM PC	508*		506*	507*										CWWY371-PF		D71.05	D71.05	*QS6.00		
MC70 ANSI VT220/320 Keyboard	511*		509*	510*										CWWY371-PF		D71.05	D71.05	*QS6.00		
MC70 ANSI VT420 Keyboard	514*		512*	513*										CWWY371-PF		D71.05	D71.05	*QS6.00		
MC70 ASCII Keyboard 101 Keys	517*		515*	516*										CWWY371-PF		D71.05	D71.05	*QS6.00		
MAX28 Style IBM Enhanced PC	408		409	411		410								CWWY371-PF		D71.05	D71.05	QS6.00		
MAX 700/900 Style IBM PC	508		506	507										CWWY371-PF		D71.05	D71.05	QS6.00		
MAX 700/900 ANSI VT220/320 Keyboard	511		509	510										CWWY371-PF		D71.05	D71.05	QS6.00		
MAX 700/900 ANSI VT420 Keyboard	514		512	513										CWWY371-PF		D71.05	D71.05	QS6.00		
MAX 700/900 ASCII Keyboard 101 Keys	517		515	516										CWWY371-PF		D71.05	D71.05	QS6.00		
MAI 4315 4315 A	1 1	654 654	11 11	104 104	644 644	611 611	114 114	123 123	148 148	169	313	437		CWIPSPS CWIIN02-PF	y y	D71.05 D71.05	D71.05 D71.05	QS6.00 QS6.00	D00.07	
MANNESMANN / KIENZLE PC 920	1	654	11	104	644	611	114	123	148	169	313	437		CWIXTAT	y	D71.05	D71.05	QS6.00	D00.07	
MDS / HARRIS ADACOM 6191-3/9191 D/9192/9471, HA 470/471/472 *Keyboard in tape writer native mode *Emulation Keyboard mode NV 470/471/472/481/482	8 35 56		257										221	CWIXTAT CWIXTAT CWIXTAT	y y y	D71.05 D71.05 D71.05	D71.05 D71.05 D71.05	QS6.00 QS6.00 QS6.00	D00.07 D00.07 D00.07	
MEMOREX 1092/1097, 1197 D/E, 2180-1/2180-2/2192/2291/2296/2391 1092/1097/ 1197 D/E /2180-1/2180-2/2192/2291/2296/2391 122 Keys 1191/1192/1471/1472/1476/1477/1481/1482/1483/1486/1487/1489 1488 2179 PC 7000	386 2 332		389 12 335 388	116 209 336				122			210	363	92 75 333	CWIXTAT CWIXTAT CWIXTAT CWIXTAT CWIXTAT	y y y y y	D71.05 D71.05 D71.05 D71.05 D71.05	D71.05 D71.05 D71.05 D71.05 D71.05	QS6.00 QS6.00 QS6.00 QS6.00 QS6.00	D00.07 D00.07 D00.07 D00.07 D00.07	
MEMOREX TELEX TELEX 078/079/080/178/179/180 078/079/080/178/179/180 122 Keys 191/196 122 Keys	53 439 19 52		54 441 107	357 255							358		440	CWIXTAT CWIXTAT CWIXTAT CWIXTAT	y y y y	D71.05 D71.05 D71.05 D71.05	D71.05 D71.05 D71.05 D71.05	QS6.00 QS6.00 QS6.00 QS6.00	D00.07 D00.07 D00.07 D00.07	
MITAC 1000 P 3060 G	118 1	654	161 11	162 104	644	611	114	123	148	169	313	437		CWIPSPS CWIPSPS	y y	D71.05 D71.05	D71.05 D71.05	QS6.00 QS6.00	D00.07 D00.07	
NCD 15 B / 17 C / MCX-L / MCX 17 DEC Style 15 B PS/2 Style 15 B / 17 C / MCX-L / MCX 17 SUN Type 5 Style 17 C / MCX-L / MCX 17 PS/2 Type 5 Style	185 572 656		236 186 573 217	187 574				189	188	190				CWIPSPS CWIPSPS CWIPSPS CWIPSPS	y y y y	D71.05 D71.05 D71.05 D71.05	D71.05 D71.05 D71.05 D71.05	QS6.00 QS6.00 QS6.00 QS6.00	D00.07 D00.07 D00.07 D00.07	
NCR 6/8 4I/6I 3301	1 0 1	654	11 10 11	104 361 104	644	611	114	123	148	169 168	313	437		CWIXTAT CWIXTAT CWIPSPS	y y y	D71.05 D71.05 D71.05	D71.05 D71.05 D71.05	QS6.00 QS6.00 QS6.00	D00.07 D00.07 D00.07	
NEXT NEXT	191		192	194					193	195				CWAMCSE		D71.05	D71.05	QS6.00	D00.07	
NIXDORF (SEE SIEMENS)																				
NOKIA DATA VDU 471W	1	654	11	104	644	611	114	123	148	169	313	437		CWIXTAT	y	D71.05	D71.05	QS6.00	D00.07	
NORMEREL (SEE ADDX)																				
OLIVETTI CP 486 M200	0 0		10 10	361 361						168 168				CWIPSPS CWIXTAT	y y	D71.05 D71.05	D71.05 D71.05	QS6.00 QS6.00	D00.07 D00.07	
M240/M280/M290, M380 C/XP1/XP3/XP5	6*		28*											CWOM290		D71.05	D71.05	*QS6.00		

PC OR TERMINAL MODEL	KEYBOARD TYPE													Terminal Cable p/n. <i>Use with basecables listed in Table 1a.</i>	Single Cable Option <i>See Table 1b.</i>	VS1000 VS1200 HS1250 SP400RF	SP400WWW	QS600+	PowerScan Duet VS800 QS1000		
	F (1)	F (2)	USA	D	B	UK	ALT	I	CH	S	E	H	INTL	Minimum PSC Released Wedge Software Version							
M290 S, M380 XP4/XP7/XP9 M300, M460, MODULO : M4-34/M4-40/M4-46/M4-60/M4-62/M4-64/ M4-65/M4-66, PCS 286, PC PRO 386 SX/486 SX PCS 80 WS 510 IBM PC Style Keyboard WS 510 ANSI Style Keyboard WS 885 WS 885 ANSI Keyboard TCV472 Type DSM 3472	6* 1 20 533 282 182 705	654	28* 11 21 534 283 181 109	104 248 535 284 183	644 259	611	114	123	148	169 387	313 301	437 438		CWIPSPS CWIPSPS CWIPSPS CWIPSPS CWIPSPS CWD2420 CWD2420 CWIXTAT	y y y y y y	D71.05 D71.05 D71.05 D71.05 D71.05 D82.03 D82.03 D71.05	D71.05 D71.05 D71.05 D71.05 D71.05 D71.05 D71.05	*QS6.00 QS6.00 QS6.00 QS6.00 QS6.00 QS6.00 QS6.00 QS6.00	D00.07 D00.07 D00.07 D00.07 D00.07 D00.07 D00.07		
PHILIPS PC, P 3102/P 3105 P 2706-12 Style IBM Enhanced PC P 2706-12 ANSI Keyboard 105 Keys P 2706-12 ANSI W285 Keyboard 105 Keys P 2706-12 ASCII Keyboard P 2706-12 IBM-PCAT Keyboard 84 Keys P 3204/P 3230/P 3238, P 33XX	0 291* 295* 383* 298* 300* 1		10 292* 296* 384* 299* 11	361 294* 318* 385* 394* 104		293*				168		297*		CWIXTAT CWWY371-PF CWWY371-PF CWWY371-PF CWWY371-PF CWWY371-PF CWIXTAT	y y	D71.05 D71.05 D71.05 D71.05 D71.05 D71.05 D71.05	D71.05 D71.05 D71.05 D71.05 D71.05 D71.05 D71.05	QS6.00 *QS6.00 *QS6.00 *QS6.00 *QS6.00 *QS6.00 *QS6.00	D00.07 D00.07		
PLANAR ELT 320-P1 IBM-PC Keyboard ELT 320-P1 ANSI Keyboard	1 182	654	11 181	104 183	644	611	114	123	148 184	169	313	437		CWIXTAT CWD2420	y	D71.05 D71.05	D71.05 D71.05	QS6.00 QS6.00	D00.07 D00.07		
POWER COMPUTING POWER PC 601	24		25	115					93	171	577			CWAMCSE		D71.05	D71.05	QS6.00	D00.07		
REXON SUBMIT 1000	1	654	11	104	644	611	114	123	148	169	313	437		CWIXTAT	y	D71.05	D71.05	QS6.00	D00.07		
SANYO PC 16 PC 17 PC F1	0 1 20		10 11 21	361 104 248						168 169 387				CWIXTAT CWIXTAT CWIXTAT	y y y	D71.05 D71.05 D71.05	D71.05 D71.05 D71.05	QS6.00 QS6.00 QS6.00	D00.07 D00.07 D00.07		
SIEMENS / NIXDORF / INTERTECHNIQUE M35 M55 PCD-H 97801-305 97801-402	0 1 1 137 137		10 11 11 138 138	361 104 104 139 139						168 169 169				CWIXTAT CWIXTAT CWIPSPS CWSI305 CWIXTAT	y y y y	D71.05 D71.05 D82.03 D71.05 D71.05	D71.05 D71.05 D71.05 D71.05	QS6.00 QS6.00 QS6.00 QS6.00 QS6.00	D00.07 D00.07 D00.07 D00.07 D00.07		
SILICONGRAPHICS INDIGO 2	1	654	11	104	644	611	114	123	148	169	313	437		CWIPSPS	y	D71.05	D71.05	QS6.00	D00.07		
SPERRY / UNIVAC PC SVT 1120/1123/1124	0		10 154	361						168				CWIXTAT CWU1120	y	D71.05 D71.05	D71.05 D71.05	QS6.00 QS6.00	D00.07		
SUN 420/440, ITX, SPARC 5/10	99		98						436					CWSUN02		D82.03			D00.07		
SUNRIVER ST Series	1	654	11	104	644	611	114	123	148	169	313	437		CWIXTAT	y	D71.05	D71.05	QS6.00	D00.07		
TANDON PCA 12SL/20/30, PCX 20, PLUS TM 7630 PCX10	1 0	654	11	104	644	611	114	123	148	169	313	437		CWIXTAT CWIXTAT	y y	D71.05 D71.05	D71.05 D71.05	QS6.00 QS6.00	D00.07 D00.07		

PC OR TERMINAL MODEL	KEYBOARD TYPE													Terminal Cable p/n. <i>Use with basecables listed in Table 1a.</i>	Single Cable Option <i>See Table 1b.</i>	VS1000 VS1200 HS1250 SP400RF	SP400WWW	QS600+	PowerScan Duet VS800 QS1000				
	F (1)	F (2)	USA	D	B	UK	ALT	I	CH	S	E	H	INTL								Minimum PSC Released Wedge Software Version		
TANDY																							
3000	1	654	11	104	644	611	114	123	148	169	313	437		CWIXTAT	y	D71.05	D71.05	QS6.00	D00.07				
1000 SL/2	0		10	361						168				CWIXTAT	y	D71.05	D71.05	QS6.00	D00.07				
TEKTRONIX																							
XP215C Keyboard IBM 102			541											CWIPSPS	y	D82.03		QS6.00	D00.07				
TELEVIDEO																							
990	641		642	643										CWIPSPS	y	D71.05	D71.05	QS6.00	D00.07				
TEXAS INSTRUMENT (SEE HEWLETT PACKARD)																							
THOMSON																							
MICROMEGA 16	0		10	361						168				CWIXTAT	y	D71.05	D71.05	QS6.00	D00.07				
TITAN																							
200	2		12	209				122		210	363		75	CWIPSPS	y	D71.05	D71.05	QS6.00	D00.07				
TRUST																							
PRO INDEPENDENT	590		591	592			623	593	594	595	596	597		CWIPEAT		D71.05	D71.05	QS6.00					
TULIP																							
AT COMPACT 2/3	1	654	11	104	644	611	114	123	148	169	313	437		CWIXTAT	y	D71.05	D71.05	QS6.00	D00.07				
UNISYS																							
PCI 32/561	1	654	11	104	644	611	114	123	148	169	313	437		CWIPSPS	y	D71.05	D71.05	QS6.00	D00.07				
SG 2100 KB-B25-K5 / SG 2100 SG101K / B27/B28 Lcw KB-B25-K5 Keyboard	26		27											CWUNT27		D71.05	D71.05	QS6.00	D00.07				
SG 2400/2500 SG102K Keyboard	557		558	559										CWIPSPS	y	D71.05	D71.05	QS6.00	D00.07				
SG 2400/2500 SG101K Keyboard	560		561											CWIPSPS	y	D71.05	D71.05	QS6.00	D00.07				
TO 300 ANSI Keyboard 105 Keys	319		320	321							322			CWWY371-PF		D71.05	D71.05	QS6.00					
TO 300 Style IBM Enhanced PC	327		328	329			330							CWWY371-PF		D71.05	D71.05	QS6.00					
UNIVAC (SEE SPERRY)																							
VERSAL																							
6477	0		10	361						168				CWIXTAT	y	D71.05	D71.05	QS6.00	D00.07				
VICTOR																							
286/286A/286C/286P/286M/286S/386A/386S/386CX/386MX/386SX	1	654	11	104	644	611	114	123	148	169	313	437		CWIXTAT	y	D71.05	D71.05	QS6.00	D00.07				
VPC Iic VICKI,	0		10	361						168				CWIXTAT	y	D71.05	D71.05	QS6.00	D00.07				
VPC III, VICKY	3		13											CWIXTAT	y	D71.05	D71.05	QS6.00	D00.07				
VISA (SEE LINK)																							
WANG																							
PC-280	1	654	11	104	644	611	114	123	148	169	313	437		CWIXTAT	y	D71.05	D71.05	QS6.00	D00.07				
WAND EMULATION																							
CODE 2/5 INTERLEAVED	68		68	68										CWWEMUL		D71.05	D71.05	QS6.00	D00.07				
CODE 39	69		69	69										CWWEMUL		D71.05	D71.05	QS6.00	D00.07				
CODE UPC/EAN	70		70	70										CWWEMUL		D71.05	D71.05	QS6.00	D00.07				
WYSE																							
30 / 30+ WY-30 Keyboard 83 Keys	241		242	243										CWWY371-PF		D71.05	D71.05	QS6.00					
65/65 ES/120/185/325 Style IBM Enhanced PC	291*		292*	294*		293*								CWWY371-PF		D71.05	D71.05	*QS6.00					
65/65 ES/120/185/325 ANSI Keyboard 105 Keys	295*		296*	318*							297*			CWWY371-PF		D71.05	D71.05	*QS6.00					
65/65 ES/120/185/325 ANSI W285 Keyboard 105 Keys	383*		384*	385*										CWWY371-PF		D71.05	D71.05	*QS6.00					
65/65 ES/120/185/325 ASCII Keyboard	298*		299*	394*										CWWY371-PF		D71.05	D71.05	*QS6.00					
65/65 ES/120/185/325 IBM-PCAT Keyboard 84 Keys	300*													CWWY371-PF		D71.05	D71.05	*QS6.00					
60/85/99 GT/150/160/285 Style IBM Enhanced IBM	635*													CWWY371-PF		D71.05	D71.05	*QS6.00					
60/85/99 GT/150/160/285 Style IBM Enhanced PC, 520/520 ES Style IBM Enhanced PC FR	244*		245*	246*		247*								CWWY371-PF		D71.05	D71.05	*QS6.00					
60/85/99 GT/150/160/285 ANSI Keyboard 105 Keys, 520/520 ES ANSI Keyboard 105 Keys	270*		271*	317*							272*			CWWY371-PF		D71.05	D71.05	*QS6.00					
60/85/99 GT/150/160/285 ANSI W285 Keyboard 105 Keys, 520/520 ES ANSI W285 Keyboard 105 Keys	380*		381*	382*										CWWY371-PF		D71.05	D71.05	*QS6.00					

PC OR TERMINAL MODEL	KEYBOARD TYPE													Terminal Cable p/n. <i>Use with basecables listed in Table 1a.</i>	Single Cable Option <i>See Table 1b.</i>	VS1000 VS1200 HS1250 SP400RF	SP400WWW	QS6000+	PowerScan Duet VS800 QS1000								
	F (1)	F (2)	USA	D	B	UK	ALT	I	CH	S	E	H	INTL								Minimum PSC Released Wedge Software Version						
60/85/99 GT/150/160/285 ASCII Keyboard, 520/520 ES ASCII Keyboard	274*		273*	393*													CWWY371-PF		D71.05	D71.05	*QS6.00						
60/85/99 GT/150/160/285 IBM-PCAT Keyboard 84 Keys, 520/520 ES IBM-PCAT Keyboard 84 Keys	275*																CWWY371-PF		D71.05	D71.05	*QS6.00						
60/85/99 GT/150/160/285 IBM-316X Keyboard			707*														CWWY371-PF		D82.03		*QS6.00						
370/355 Style Enhanced IBM PC	508*		506*	507*													CWWY371-PF		D71.05	D71.05	*QS6.00						
370/355 ANSI VT220/320 Keyboard	511*		509*	510*													CWWY371-PF		D71.05	D71.05	*QS6.00						
370/355 ANSI VT420 Keyboard	514*		512*	513*													CWWY371-PF		D71.05	D71.05	*QS6.00						
370/355 ASCII Keyboard 101 Keys	517*		515*	516*													CWWY371-PF		D71.05	D71.05	*QS6.00						
2012, DECISION 386 SX-20/486 SX-20	1	654	11	104	644	611	114	123	148	169	313	437					CWIXTAT	y	D71.05	D71.05	QS6.00		D00.07				
WINTERM 2000 / 2000 T / 2500 / 2500 C / 2500 T	669		670	671													CWIPSPS	y	D71.05	D71.05	QS6.00		D00.07				
55 IBM Enhanced PC	291*		292*	294*		293*											CWWY371-PF		D71.05	D71.05	*QS6.00						
55 ANSI Keyboard 105 Keys	295*		296*	318*							297*						CWWY371-PF		D71.05	D71.05	*QS6.00						
55 ANSI W285 Keyboard 105 Keys	383*		384*	385*													CWWY371-PF		D71.05	D71.05	*QS6.00						
55 ASCII Keyboard	298*		299*	394*													CWWY371-PF		D71.05	D71.05	*QS6.00						
55 IBM PCAT Keyboard 84 Keys	300*																CWWY371-PF		D71.05	D71.05	*QS6.00						
ZENITH DATA SYSTEM																											
320 SX, AT Z 286, Z-425/SX	1	654	11	104	644	611	114	123	148	169	313	437					CWIXTAT	y	D71.05	D71.05	QS6.00		D00.07				
PC	4		14	355						356							CWIXTAT	y	D71.05	D71.05	QS6.00		D00.07				
Z-SELECT 100 xxx, Z-STATION 420 SN / 500	1	654	11	104	644	611	114	123	148	169	313	437					CWIPSPS	y	D71.05	D71.05	QS6.00		D00.07				
Z-STATION LX2 and ES/P	1	654*	11*	104*	644*	611*	114*	123*	148*	169*	313*	437*					CWIPSIZE		D71.05	D71.05	*QS6.00						

Models with Additional Keyboard Types

PC OR TERMINAL MODEL	KEYBOARD TYPE																Terminal Cable p/n. <i>Use with basecables listed in Table 1a.</i>	Single Cable Option <i>See Table 1b.</i>	VS1000 VS1200 HS1250 SP400RF	SP400WWW	QS6000+	PowerScan Duet VS800 QS1000					
	IL	PL	NO	FR	DK	USA	D	B	UK	PO	I	CH	S	E	H	J											
USB																											
WIN 98/NT			737	523	738	524	525	734	731	733	529	735	736	732		759											
IMAC			745	526	746	527	528	742	740		530	743	744	741													
DIGITAL																											
VT520 IBM PC STYLE	751	752		541	748	542	543			750	747	544		749													
VT520 IBM ANSI	757	758		252	754	253	254			756	753	444		755													

NOTEBOOKS	KEYBOARD TYPE												Terminal Cable p/n. <i>Use with basecables listed in Table 1a.</i>	Single Cable Option <i>See Table 1b.</i>	VS1000 VS1200 HS1250 SP400RF	SP400WWW	QS6000+	PowerScan Direct VS800 QS1000		
	F	D	USA	B	UK	ALT	I	CH	S	E	H									
ALL NOTEBOOKS using RS232 port equipped with a RS232 9 pin COM-PORT and a 6 pin minidin MOUSE PORT - With reconnection of the mouse - Without reconnection of the mouse	RS232 RS232	RS232 RS232	RS232 RS232											CNBBNB1 CNBBNB2-PF	D71.05 D71.05	D71.05 D71.05		D00.07 D00.07		
ACER EXTENSA 355	712													CNIT350	D71.05	D71.05	QS6.00			
APPLE MACINTOSH using ADB port MAC POWERBOOK 145/160/165C/170/180: With reconnection of the mouse Without reconnection of the mouse	24 24	25 25	115 115					93 93	171 171	577 577				CWAMCSE CNAM145	D82.03 D71.05	D71.05	QS6.00	D00.07 D00.07		
COMPAQ using external keyboard port CONTURA 400 C CONTURA 410/410 C/410 CX/420C / LTE 5380 LTE 5150	483 480 486	484 481 487	485 482 488											CNIT350 CNIT350 CNIT350	D71.05 D71.05 D82.03	D71.05 D71.05	QS6.00 QS6.00 QS6.00	D00.07 D00.07 D00.07		
DIGITAL using external keyboard port HINOTE CS433 HINOTE Ultra CS450 HINOTE Ultra CS475	565 590 486	566 591 487	567 592 488				593	594	595	596	597			CNIT350 CNIT350 CNIT350	D71.05 D71.05 D71.05	D71.05 D71.05	QS6.00 QS6.00 QS6.00	D00.07 D00.07 D00.07		
DUAL using external keyboard port 486 DX/66 (Wedge must use EPROM DIT50)														CNIT350	DIT50	DIT50	DIT50			
FUJITSU LIFEBOOK 520D	712													CNIT350	D82.03		QS6.00	D00.07		
HEWLETT PACKARD 2100	486													CNIT340	D71.05	D71.05	QS6.00	D00.07		
IBM using external keypad port PS/2 Model L40 SX -PAD-	605	605	605											CNIT340	D71.05	D71.05	QS6.00	D00.07		
IBM using external keyboard port THINKPAD 310 THINKPAD 340/340 CSE/ 755 THINKPAD 345 CS / 360 THINKPAD 350 / 701/730/750CX THINKPAD 365 x THINKPAD 760 XL	715 601 607 486 483 480	602 602 608 487 484 481	603 603 609 488 485 482						604 610					CNIT340 CNIT340 CNIT340 CNIT350 CNIT350 CNIT340	D82.03 D71.05 D71.05 D71.05 D82.03 D82.03	D71.05 D71.05	QS6.00 QS6.00 QS6.00 QS6.00	D00.07 D00.07 D00.07 D00.07 D00.07 D00.07		
ICL using external keyboard port DESIGN	1	11	104	644	611	114	123	148	169	313	437			CNIT350	D71.05	D71.05	QS6.00	D00.07		
NEC Versa Note Vxi	773																		D00.29	
TOSHIBA using external keyboard port T1200 X1 with reconnection of the mouse without reconnection of the mouse T1800 with reconnection of the mouse without reconnection of the mouse T2000 SX with reconnection of the mouse without reconnection of the mouse PORTEGE 610 CT with station SATELLITE T2110/T2110 CS/ T 2130 CS/T2130 CT / T2150 CDS/T2150 CDT SATELLITE PRO 220CS / SATELLITE 230 CX / TECRA 550 - 750 SATELLITE PRO 400 CS/400 CDT/410 CDT/430CDS SATELLITE PRO 440 CDX TECRA 700 CT/ 510	121 121 571 571 121 121 486 486 715 486 715 480	487 487 488 488 488 487 487 488	488 488 488 488 488 488 488 488											CNTOSH4 CNTOSH3 CNTOSH4 CNTOSH4 CNTOSH4 CNTOSH3 CNIT350 CNIT350	D71.05 D71.05 D71.05 D71.05 D71.05 D71.05 D71.05 D71.05 D71.05 D82.03 D82.03 D82.03	D71.05 D71.05 D71.05 D71.05 D71.05 D71.05 D71.05	QS6.00 QS6.00 QS6.00 QS6.00 QS6.00 QS6.00 QS6.00 QS6.00 QS6.00	D00.07 D00.07 D00.07 D00.07 D00.07 D00.07 D00.07 D00.07 D00.07 D00.07 D00.07		
UNISYS using external keyboard port POWERPORT III	612	613	614											CNIT350	D71.05	D71.05	QS6.00	D00.07		
ZENITH DATA SYSTEM using external keyboard port LNP+ and Z-NOTEFLEX ZDS Versa LX	486 727	487	488											CNIT350 IT350	D71.05	D71.05	QS6.00	D00.07 D00.07		